

Supplier - EASTMAN

MDEA*pH System Stabilizers
Methyl Diethanolamine*

Typical Properties

Appearance	Colorless liquid
Density@20°C,g/cm ³	1.040
Freezing Point,°C	-21.3
Boiling Point@741mmHg,°C	243.3
Flash Point(Tag Closed Cup),°C	138
Vapor Pessure@25°C,hPa	0.0031
Molecular Weight	119.16
Autoignition Temperature,°C	280
Critical Pressure,hPa	37000
Critical Temperature,°C	404
Dissociation constant@25°C,pKa	8.68
Heat Capacity@20°C,kJ/kg.K	1.72
Heat of Formation,kj/kmol	-91649
Heat of Vaporization,kj/kg	418.7
Octanol-water partition coefficient,log Pow(pH10.5@23°C)	-1.16
Refractive Index@20°C	1.4642
Solubility in Water	Miscible
Vapor Density(air = 1)	4
Viscosity@20°C,mm ² /s	99.05
Std Packaging (NW / GW, Kg)	225.0 / 208.0

Product Description

Low VOC,low odor tertiary amine for use as neutralizing agent in all types of metalworking fluids.

Print date: 28-07-24

Disclaimer: Information provided by this website and product page including specifications, applications and formulations are based on tests and data supplied by Smart Oil companies, manufacturers or any of our collaborated companies or suppliers, which are believed to be correct and reliable at the time of writing and data update. However, Smart Oil companies, manufacturers or any of our collaborated companies or suppliers make no warranty or responsibility, express or implied, of any kind regarding products, performance, formulations or applications, as operation conditions and application environments are beyond our control, or products will be modified by action of manufacturers or due to change in market environments. Users are herewith expressly requested to conduct test to determine the suitability of our products or product information before use. Furthermore, we regret that we cannot be responsible for informing customers any changes in specifications, formulations, or other technical contents on this website and product page. Also, We hereby state that all product trademarks other than Smart Oil, including trademarks from our , suppliers are the trademarks belong to the respective companies, or from their sources.