

Supplier - SMART OIL
Smart Base RP9890

Water-Based Corrosion Inhibitors
Phosphate Ester Based Corrosion Inhibitor

Typical Properties

Appearance	Yellow to Brown Liquid
Specific Gravity@25°C	1.020 - 1.160
pH Value (5% Water Dilution)	8.1 - 9.1
Copper Corrosion Test (55±2°C soaked thoroughly, 4hrs)	Grade A
Aluminium Corrosion Test (55±2°Csoaked thoroughly , 4hrs)	Grade A
Monolithic Antirust Test (35±2°C, 24 hrs)	Grade A
Std Packaging (NW / GW, Kg)	247.0 / 230.0

Product Description

SMART BASE RP9890 is a highly concentrated non-ferrous metal corrosion inhibitor containing alkanolamine, carboxylate and triazole derivatives. It is suitable for formulation of soluble oils, semi-synthetic and synthetic fluids.

SMART BASE RP9890 can effectively protect various types of aluminum alloys; including 319 (cast aluminum alloy), 2024-T3 (high copper aluminum alloy), 6061 (high magnesium aluminum alloy) and 7075 (high zinc aluminum alloy). It can also protect copper and cast iron.

SMART BASE RP9890 possesses good anti-wear and lubricating characteristics that can attain synergistic effect when used with polymeric esters.

SMART BASE RP9890 can be used as tankside additive, and can also be used as short-term rust inhibitor after dilution with water.

Product Features:

- Will not reduce pH value when added in formulations;
- Will improve lubricity and AW properties;
- Good handling and storage.

Applications:

Concentrate
Tankside

Suggested Treat Rates, %wt

1 - 5
0.05

Print date: 27-04-24

Disclaimer: Information provided by this website and product page including specifications, applications and formulations are based on tests and data supplied by Smart Oil companies, manufacturers or any of our collaborated companies or suppliers, which are believed to be correct and reliable at the time of writing and data update. However, Smart Oil companies, manufacturers or any of our collaborated companies or suppliers make no warranty or responsibility, express or implied, of any kind regarding products, performance, formulations or applications, as operation conditions and application environments are beyond our control, or products will be modified by action of manufacturers or due to change in market environments. Users are herewith expressly requested to conduct test to determine the suitability of our products or product information before use. Furthermore, we regret that we cannot be responsible for informing customers any changes in specifications, formulations, or other technical contents on this website and product page. Also, We hereby state that all product trademarks other than Smart Oil, including trademarks from our , suppliers are the trademarks belong to the respective companies, or from their sources.