Supplier -

Ditridecyl Adipate (DTDA)

## **Typical Properties**

Appearance@25°C	Light-colored Liquid
Color,ASTM D1544,Gardner/D1500	≤ 3.0/1.0
Kinematic Viscosity@40°C,cSt	≥ 27
Kinematic Viscosity@100°C,cSt	≥ 5.1
Kinematic Viscosity@-40°C,cSt	≤ 16000
Viscosity Index	135
Density@25°C,Lb/Gal(kg/L)	7.6 (0.900)
Total Acid Value,mgKOH/g	≤ 0.05
Pour Point, °C(°F)	-50 (60)
Moisture Content,%wt	≤ 0.05
Flash Point C.O.C.,°C(°F)	≥ 232 (450)

## **Product Description**

Adtec<sup>™</sup> 172 is commonly referred to as DTDA that is a dibasic acid ester of isotridecanol and adipic acid. It offers superior oxidation stability, low volatility and excellent low temperature characteristics. Adtec<sup>™</sup> 172 is highly resistant to shear and thermal stress. It has good solvency and exhibits excellent additive compatibility. Adtec<sup>™</sup> 172 was found to be biodegradable according to the European 21 days and EPA 28 days biodegradability tests.

## **Applications:**

**Adtec<sup>™</sup> 172** has found applications in blends of 2 and 4 stroke engine oils, compressor lubricants, gear oils, hydraulic fluids as well as other industrial applications. Since **Adtec<sup>™</sup> 172** is biodegradable, it is suitable for environmentally sensitive applications (e.g. Marine).

Print date: 06-07-25