Supplier - SMART OIL
Smart Base 2717

Sulfurized Fatty Oil

## **Typical Properties**

Appearance	Clear Light Amber Liquid
Specific Gravity@25°C	0.900 - 1.000
Viscosity@40°C, cSt	40 - 80
Sulfur Content (Active ), %wt	13 - 17.5 (7)
Acid Value, mgKOH/g	≤ 8
Flash Point C.O.C., °C	> 160
Copper Corrosion+	4B
$P_B/P_D$ , $kg++$	88 / 315
Std Packaging (NW / GW, Kg)	217.0 / 200.0

## **Product Description**

Annliantiana

**SMART BASE 2717** is a clear amber fatty oil EP additive with high active sulfur; mainly used in formulations for metal working oils.

**SMART BASE 2717** possesses low viscosity, so is specially suitable for formulating deep drilling and honing oils; which require extremely superior cleansing property.

**SMART BASE 2717** possesses excellent lubricating, anti-wear and EP properties. It exhibits more superior performance when blended with phosphate esters such as **SMARTPHOS P6800** / **P7800** and chlorine replacement additive like **SMART BASE CR-2050**.

**SMART BASE 2717** is light color, so operations can easily be monitored. Its low odor can be accepted easily by workers.

**SMART BASE 2717** has good stability and compatibility with other additives and different groups of base oils, which make it easy for blenders to use for blending different types of machining oils.

Currented Treat Dates West

Applications	Suggested Treat Rates, %wt
Threading	3 - 15
Tapping	3 - 15
Cold Heading (Cut Side Only)	5 - 20
Automatic Screw Machines (Cut Side	5 - 10
Only)	
Turning	2 - 8

Print date: 16-09-25